

Magnetic Contacts & Security Alarm Accessories

Product Catalog

Since 1987, Cynwyd has provided premium quality B-connectors, magnetic contacts, and other accessories to some of the largest security installers in the U.S, including several of the Top 10, through independent distributors nationwide.

We assure you of product satisfaction with a lifetime guarantee. Our products are equivalent in quality to the bestknown brands on the market.

So don't pay a premium, when Cynwyd offers the highest quality products and great service for value prices.

Please visit us at <u>www.cynwydinc.com</u> for more info.

Premium quality for less



Cynwyd International Corp.

Tel: (800)429-6993 Fax: (800)429-6993 E-mail: info@cynwydinc.com

Page 1 of 4



Magnetic Contacts

Made of the world's finest reeds. Guaranteed to provide reliable service. All contacts are Form A (circuit is closed when magnet is in proximity. Switch opens when magnet is moved away).

- Hermetically Sealed Switches
- High Quality Magnets (mostly rare earth)
- Rhodium Reeds
- Available in White. Some available in Brown.

Rare earth magnets							
	CW-MM4	3/8" d. rare earth magnet, screw and adhesive					
	CW-MM6	5/8" d. rare earth magnet, screw and adhesive					
	CW-MMF8	$3/8$ " x $\frac{1}{2}$ " x $1/8$ " flat rare earth magnet, with adhesive					
3/8" recessed contacts							
	◆ CW-201	Stubby switch, long magnet , 18" wire leads and 1/2" gap					
	◆ CW-202 *	Stubby switch and magnet , 18" wire leads 5/8" gap. UL listed. White or Brown.					
	♦ CW-20T	Stubby switch and magnet, terminals, ½" gap.					
• 🍾	♦ CW-204T	Stubby switch with terminals, round rare earth magnet, $\frac{1}{2}$ " gap					
Surface mount contacts							
Il.	◆ CW-212*	Mini surface mount, 24" center wire Leads and wider 7/8" gap					
S SAT	◆ CW-215T*	Surface mount, standard size, terminals, with wider 7/8" gap with screws, covers & spacer					
	◆ CW-260T*	Mini surface mount, terminals, wider 7/8" gap Mounting screws, adhesive tape and terminal screw cover-up tape. White or Brown.					
11	◆ CW-264T*	Mini surface mount, terminals, with hidden mounting screws					
The second second	◆ CW-244*	Overhead door contact with adjustable L Bracket, 3" wider gap & 22" armored cable					

Cynwyd International Corp. Page 2 of 4

Splice Connectors

Cynwyd has provided the finest quality connectors for over ten years. Our first product was the B-wire connector, which continues to be one of our best sellers. Nickel-plated, tempered phosphor-bronze connection element provides a strong, reliable connection,

B-wire connectors



- **CW-101B** B-wire with moisture-resistant sealant (gel), blue or white. 1000/box, 100/bag. Also available in 250/bag and 500/bag upon request.
- CW-102W B-wire, plain (dry), white, 1000/box, 100/bag. Also available in 250/bag and 500/bag upon request.



- CW-101BP B-wire, sealant, blue or white, 500 in a reusable plastic case
- CW-102WP B-wire, dry, white, 500/plastic case

U-series connectors

Finally, reliable *and* affordable UR/UY/UG splice connectors. Proven, dependable, and simple butt and tap/bridge splicing of solid copper telco and security wire from AWG 19-26. NO stripping of wire!

Part	Wire range (AWG)	Number of ports	Description
♦ CW-UR1	22-26 insulted solid wire	3	Butt splice connector, sealant-filled, for 2 or 3 wires. Different size wires may be spliced together.
♦ CW-UR2	19-26 insulated solid wire	3	Splice butt connector, sealant-filled, for 2 or 3 wires. Different size wires may be spliced together.
◆ CW-UY	22-26 insulated solid wire	2	Butt splice connector, sealant-filled, for 2 wires. Different size wires may be spliced together.
CW-UY2	19-26 insulated solid wire	2	Butt splice connector, sealant-filled, for 2 wires. Different size wires may be spliced together.
♦ CW-UG	19-26 insulated solid wire	2	Tap splice connector, sealant-filled, for 2 wires. Different size wires may be spliced together.

Cynwyd International Corp. Page 3 of 4

RJ31X Jacks & Cords

With the wide-spread use of DSL high-speed internet service, the RJ31X jack becomes a single point of failure. Inferior quality jacks can promote corrosion and result in degraded phone and/or internet service, and an expensive service call.

All Cynwyd jacks and cords meet industry specifications, to ensure reliable service. Our jacks feature:

- 50 u" gold plated pins
- Meets FCC Part 68 regulations
- UL listed

New product! – now available in a unique 4-wire (8P4C) configuration. Eliminates unnecessary wires and screws, simplifies installation, reduces errors.

- All 8P4C jacks and cords are wired for pins 1,4,5, and 8 to maintain plug compatibility with standard 8P8C jacks and cords.
- Also available in standard 8P8C versions to provide optional tamper protection.

	Jacks. RJ31 X, UL. 50 u" gold plating, meets FCC 68, with shorting bar				
	◆ CW-104	8P8C standard jacks			
	• RJ314C	8P4C jack, 4 screw terminals, standard 8 position plug			
	RJ31X Sets. Jack and cord set , 50 u" gold, meets FCC Part 68, with shorting bar.				
	◆ CW-114	8P8C Jack & 1.5-foot 8P8C Plug-Spade cord			
	CW-114B	8P8C Jack & 2-foot 8-C Plug-Plug cord			
	RJ31SET	8P4C Jack & 1.5 foot 8P4C Plug-Spade cord			
	RJ31SET2PP	8P4C Jack & 1.5 foot 8P4C Plug-Plug cord			
	Cords, Plug-Plug. 8-position plugs on both ends.				
	◆ CW-105	2-foot 8P8C cord			
~	◆ CW-107	8-foot 8P8C cord			
\bigcap	Cords, Plug-Spade. 8 position plug on one end, spade terminals on other end.				
	CW-108	2-foot 8P8C cord			
	◆ CW-110	8-foot 8-C			

Cynwyd International Corp.